ELSEVIER

Carbohydrate Research 280 (1996) C35–C37

CARBOHYDRATE RESEARCH

Contents

Regular papers

Structure of the saponin adjuvant QS-21 and its base-catalyzed isomerization product by ^{1}H and natural abundance ^{13}C NMR spectroscopy
N.E. Jacobsen, W.J. Fairbrother (South San Francisco, CA, USA), C.R. Kensil (Worcester, MA, USA), A. Lim (South San Francisco, CA, USA), D.A. Wheeler (Worcester, MA, USA) and M.F. Powell (South San Francisco, CA, USA) 1

Vacuum ultraviolet circular dichroism of gellan-family polymer films from water and dimethyl sulfoxide
E.R. Arndt and E.S. Stevens (Binghamton, NY, USA) 15

Alkaline degradation of glucose: effect of initial concentration of reactants
B.Y. Yang and R. Montgomery (Iowa City, IA, USA) 27

Alkaline degradation of fructofuranosides
B.Y. Yang and R. Montgomery (Iowa City, IA, USA) 47

Transglycosylation reactions of permethylated methyl D-glucopyranosides with partially methylated 1,5-anhydroalditols
C.K. Lee and E.J. Kim (Chuncheon, Korea) 59

Rationally designed syntheses of high-mannose and complex type undecasaccharides
Y. Nakahara, S. Shibayama, Y. Nakahara (Saitama, Japan) and T. Ogawa (Tokyo, Japan) 67

Degradation of double-stranded xanthan by hydrogen peroxide in the presence of ferrous ions: comparison to acid hydrolysis
B.E. Christensen, M.H. Myhr and O. Smidsrød (Trondheim, Norway). 85

Chemoenzymatic synthesis of neuraminic acid analogs structurally varied at C-5 and C-9 as potential inhibitors of the sialidase from influenza virus
M. Murakami, K. Ikeda and K. Achiwa (Shizuoka, Japan) 101

Structural investigation of the polysaccharide fraction from the mucilage of *Dicerocaryum zanguebaricum* Merr.
G. Barone, M.M. Corsaro (Naples, Italy), M. Giannattasio (Portici, Italy), R. Lanzetta, M. Moscariello and M. Parrilli (Naples, Italy) 111

Notes

Capillary electrophoresis separation of mucin motif MUC 5AC glycopeptides from in vitro *O*-glycosylation reactions
S. Hennebicq-Reig, B. Soudan, D. Tetaert, G. Briand, C. Richet, D. Demeyer and P. Degand (Lille, France) 121

1-Aryl-6,7-dichloro-3-β-D-erythrofuranosylpyrazolo[3,4-*b*]quinoxaline *C*-nucleoside analogues
M.A.E. Sallam, H.M. El Nahas, S.M.E. Abdel Megid (Alexandria, Egypt) and T. Anthonsen (Trondheim, Norway) 127

Facile preparation of phenyl 1-thioglycosides of partially methylated maltooligosaccharides by restricted thiolysis of fully methylated cyclodextrins
N. Sakairi (Sapporo, Japan) and H. Kuzuhara (Urawa, Japan) 139

Thioanhydro sugar derivatives. Action of base on methyl 6-thio-α-D-galactopyranoside derivatives
I. Izquierdo Cubero, M.T. Plaza Lopez-Espinosa and A. Saenz de Buruaga Molina (Granada, Spain). 145

Synthesis of some methyl 6-*O*-alkyl-α-D-glycopyranosides
F. Wijnbergen, H. Regeling, B. Zwanenburg, G.J.F. Chittenden (Nijmegen, The Netherlands) and N. Rehnberg (Perstorp, Sweden). 151

Effect of *n*-alkyl glucosides on waxy maize and wheat starch retrogradation
C.G. Biliaderis, D.J. Prokopowich (Winnipeg, Canada), M.R. Jacobson and J.N. BeMiller (West Lafayette, IN, USA) 157

Aldo–enol transition in periodate-oxidized dextrans
S.N. Drobchenko, L.S. Isaeva-Ivanova, A.R. Kleiner and E.V. Eneyskaya (St. Petersburg, Russian Federation) 171

Instructions to authors C1

Regular papers

Two-bond $^{13}C-^{13}C$ spin-coupling constants in carbohydrates: effect of structure on coupling magnitude and sign
T. Church, I. Carmichael and A.S. Serianni (Notre Dame, IN, USA) 177

Conformation of 4-thio-L-lyxono-1,4-lactone in solution and in the crystalline state
O. Varela, P.A. Zunszain, D.O. Cicero, R.F. Baggio, D.R. Vega (Buenos Aires, Argentina) and M.T. Garland (Santiago de Chile, Chile) 187

Identification of the acidic degradation products of hexenuronic acid and characterisation of hexenuronic acid-substituted xylooligosaccharides by NMR spectroscopy
A. Teleman, T. Hausalo, M. Tenkanen and T. Vuorinen (Espoo, Finland). 197

Synthesis of methyl 2-*O*-allyl-(and 3-*O*-allyl-)5-*O*-benzyl-β-D-ribofuranoside
T. Desai, J. Gigg and R. Gigg (London, UK) 209

Synthesis of [6″-^{3}H]-, (6″-^{2}H)- and (2-^{2}H)-maltotriose
B. Sauerbrei, J. Niggemann, S. Gröger, S. Lee and H.G. Floss (Seattle, WA, USA) 223

Migration of secondary *tert*-butyldimethylsilyl groups in cyclomalto-heptaose and -octaose derivatives
D. Icheln, B. Gehrcke, Y. Piprek, P. Mischnick, W.A. König (Hamburg, Germany), M.A. Dessoy and A.F. Morel (Santa Maria, Brazil) 237

Glycosylation with *N*-Troc-protected glycosyl donors
U. Ellervik and G. Magnusson (Lund, Sweden). 251

Synthesis of precursors for the dimeric 3-*O*-SO_3Na Lewis X and Lewis A structures
G.V. Reddy, R.K. Jain, R.D. Locke and K.L. Matta (Buffalo, NY, USA) 261

A method for the synthesis of *C*-(2-deoxy-β-glycosyl)arenes
A.T. Khan, W. Ahmed and R.R. Schmidt (Konstanz, Germany) 277

A facile synthesis of 5-thio-L-fucose and 5-thio-D-arabinose from D-arabinose
M. Izumi, O. Tsuruta and H. Hashimoto (Yokohama, Japan) 287

Structure of the phosphopeptidomannans from flocculent and non-flocculent yeast *Kluyveromyces lactis*
M. Bilang, F. Attioui, V. Loppinet (Nancy, France), J.-C. Michalski (Villeneuve d'Ascq, France) and R. Bonaly (Nancy, France) 303

Notes

Heptakis[6-*S*-(2,3-dihydroxypropyl)-6-thio]cyclomaltoheptaose and its sulfone: water-soluble β-cyclodextrin derivatives having modified polarity
H.H. Baer (Ottawa, Canada) and F. Santoyo-González (Granada, Spain) 315

Synthesis of α- and β-L-Fuc *p*-(1 → 2)-α-L-Fuc *p*-(1 → 3)-β-D-Gal *p*NAc glycosides identified as termini of *Schistosoma mansoni* oligosaccharides
V.P. Kamath and O. Hindsgaul (Edmonton, Canada) 323

Synthesis of *N*-acetyl-4,8-dideoxyneuraminic acid-containing ganglioside GM_3
M. Yoshida, H. Ishida, M. Kiso and A. Hasegawa (Gifu, Japan) 331

Chlorodeoxy derivatives from D-galactochloralose
Ö. Makinabakan, Y.G. Salman and L. Yüceer (İzmir, Turkey) 339

A one-pot procedure for the quantitative conversion of glycosides into acetylated glycosyl fluorides
B.A. Bergamaschi and J.I. Hedges (Seattle, WA, USA) 345

Synthesis of partially protected 1,5-anhydroalditols by hydroboration of glycals
R. Murali and M. Nagarajan (Hyderabad, India) 351

Synthesis of the 4-, 6-deoxy, and 4,6-dideoxy derivatives of D-mannose
T. Nishio, Y. Miyake, K. Kubota, M. Yamai, S. Miki, T. Ito and T. Oku (Tokyo, Japan) 357

Author Index C11

Subject Index C13

Cumulative author index, Vols. 261–280 . . . . . C19

Contents C35